



Attorney Docket No.: SONY-00500

Patent

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re Application of:

**Maritzen et al.**

Application No.: 10/017,181

Filed: December 7, 2001

For: CONSUMER-CENTRIC  
CONTEXT-AWARE SWITCHING  
MODEL

) Art Unit: 2177

) Examiner: Luke Wassum

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

TRANSMITTAL


Sir:

Please find enclosed a copy of the amendment/response to the Office Action mailed June 24, 2004, 3 sheets of replacement drawings, and a post card.

The Commissioner is hereby authorized to charge any additional fees associated with this communication or credit overpayment to Deposit Account No: 50-1963. A duplicate copy of this authorization is enclosed.

Respectfully submitted,


Dated: September 24, 2004

  
Richard H. Butler

Registration No. 40,932

Please Send Correspondence to:  
Valley Oak Law  
5655 Silver Creek Valley Road  
#106  
San Jose, CA 95138  
(408)223-9763

I hereby certify that this document and any document referenced herein is being deposited with the USPS as first class mail addressed to Commissioner for Patents, PO Box 1450, Alexandria, VA 22313 on 9/24/04

  
Richard H. Butler

JFW

2177



Attorney Docket No.: SONY-00500

Patent

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re Application of: ) Art Unit: 2177  
Maritzen et al. )  
Application No.: 10/017,181 ) Examiner: Luke Wassum  
Filed: December 7, 2001 )  
For: CONSUMER-CENTRIC )  
CONTEXT-AWARE SWITCHING )  
MODEL )

Mail Stop Non-Fee Amendment  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

## AMENDMENT

Sir:

In response to the Office Action mailed June 24, 2004, Applicant respectfully requests the Examiner to consider the following claims and remarks. Amendments to the Specification begin on page 2 of this paper.

Amendments to the Claims are reflected in the listing of claims, which begins on page 3 of this paper.

Amendments to the Drawings begin on page 8 of this paper and include attached replacement sheets.

Remarks begin on page 9 of this paper.

An Appendix including the replacement sheets of drawings is attached following page 12 of this paper.